













Part. & Energy conservation [Case: 1.1.5.i, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -0.30 \text{ m/s}$, $\Delta t = 10.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_p = 51$]
 Comparison with initial solution - log scale; total time and zoom over time







Part. & Energy conservation [Case: 1.1.5.i, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -0.30 \text{ m/s}$, $\Delta t = 10.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_p = 51$]
 Comparison with initial solution - linear scale; total time and zoom over time



Part. & Energy conservation [Case: 1.1.5.i, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -0.30 \text{ m/s}$, $\Delta t = 10.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_p = 51$]
Comparison with previous time-sampled (τ_{out}) solution - log and linear scales







Particle conservation [Case: 1.1.5.i, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -0.30 \text{ m/s}$, $\Delta t = 10.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_p = 51$]
 Comparison with asymptotic solution (electrons and ions); total time and zoom over time







Profiles [Case: 1.1.5.i, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -0.30 \text{ m/s}$, $\Delta t = 10.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 51$]

Time sampling: total simulation time/10



Profiles [Case: I.1.5.i, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -0.30 \text{ m/s}$, $\Delta t = 10.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 51$]





Comparison with asymptotic solution



● final calculation
● asymptotic





Profiles [Case: 1.1.5.i, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -0.30 \text{ m/s}$, $\Delta t = 10.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 51$]

Time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (V a/D)| = 0.57 \text{ s}$







0.00
0.10
0.20
0.30
0.40
0.50

Profiles [Case: I.1.5.i, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -0.30 \text{ m/s}$, $\Delta t = 10.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 51$]
 Spatial zoom over magnetic axis; time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (Va/D)| = 0.57 \text{ s}$







Profiles [Case: 1.1.5.i, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -0.30 \text{ m/s}$, $\Delta t = 10.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 51$]
 Spatial zoom over edge; time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (Va/D)| = 0.57 \text{ s}$



Profiles [Case: 1.1.5.i, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -0.30 \text{ m/s}$, $\Delta t = 10.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_p = 51$]





Time sampling: last 10 time slices



2.50
2.60
2.70
2.80
2.90
3.00
3.10
3.20
3.30
3.40

Profiles [Case: 1.1.5.i, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -0.30 \text{ m/s}$, $\Delta t = 10.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 51$]

Spatial zoom over magnetic axis; time sampling: last 10 time slices



Profiles [Case: 1.1.5.i, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -0.30 \text{ m/s}$, $\Delta t = 10.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 51$]
 Spatial zoom over edge; time sampling: last 10 time slices

