





Part. & Energy conservation

[Case: I.1.5.j, Solver: 3, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Comparison with initial solution - log scale; total time and zoom over time



Part. & Energy conservation

[Case: I.1.5.j, Solver: 3, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Comparison with initial solution - linear scale; total time and zoom over time



Part. & Energy conservation

[Case: I.1.5.j, Solver: 3, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Comparison with previous time-sampled (τ_{out}) solution - log and linear scales



Particle conservation

[Case: I.1.5.j, Solver: 3, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Comparison with asymptotic solution (electrons and ions); total time and zoom over time



Profiles

[Case: I.1.5.j, Solver: 3, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Time sampling: total simulation time/10




Profiles


[Case: I.1.5.j, Solver: 3, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Comparison with asymptotic solution


Electron density relative error




Electron density



Error: zoom over axis







Error: zoom over edge



Profiles

[Case: I.1.5.j, Solver: 3, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (Va/D)| = 0.19 \text{ s}$







Profiles

[Case: I.1.5.j, Solver: 3, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Spatial zoom over magnetic axis

Time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (Va/D)| = 0.19 \text{ s}$







Profiles

[Case: I.1.5.j, Solver: 3, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Spatial zoom over edge





Time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (Va/D)| = 0.19 \text{ s}$



Profiles

[Case: I.1.5.j, Solver: 3, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Time sampling: last 10 time slices







- 0.96
- 1.00
- 1.04
- 1.08
- 1.12
- 1.16
- 1.20
- 1.24
- 1.28
- 1.32

Profiles

[Case: I.1.5.j, Solver: 3, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]


Spatial zoom over magnetic axis; time sampling: last 10 time slices



Profiles

[Case: I.1.5.j, Solver: 3, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Spatial zoom over edge; time sampling: last 10 time slices



Part. & Energy conservation

[Case: I.1.5.j, Solver: 4, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Comparison with initial solution - log scale; total time and zoom over time



Part. & Energy conservation

[Case: I.1.5.j, Solver: 4, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Comparison with initial solution - linear scale; total time and zoom over time



Part. & Energy conservation

[Case: I.1.5.j, Solver: 4, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Comparison with previous time-sampled (τ_{out}) solution - log and linear scales



Particle conservation

[Case: I.1.5.j, Solver: 4, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]



Comparison with asymptotic solution (electrons and ions); total time and zoom over time



Profiles

[Case: I.1.5.j, Solver: 4, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Time sampling: total simulation time/10




Profiles


[Case: I.1.5.j, Solver: 4, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Comparison with asymptotic solution


Electron density relative error




Electron density



Error: zoom over axis







Error: zoom over edge



Profiles

[Case: I.1.5.j, Solver: 4, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (Va/D)| = 0.19 \text{ s}$







- 0.00
- 0.04
- 0.08
- 0.12
- 0.16

Profiles

[Case: I.1.5.j, Solver: 4, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Spatial zoom over magnetic axis

Time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (Va/D)| = 0.19 \text{ s}$







Profiles

[Case: I.1.5.j, Solver: 4, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Spatial zoom over edge


Time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (Va/D)| = 0.19 \text{ s}$



Profiles

[Case: I.1.5.j, Solver: 4, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Time sampling: last 10 time slices



Profiles

[Case: I.1.5.j, Solver: 4, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]


Spatial zoom over magnetic axis; time sampling: last 10 time slices



Profiles

[Case: I.1.5.j, Solver: 4, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Spatial zoom over edge; time sampling: last 10 time slices



Part. & Energy conservation

[Case: I.1.5.j, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Comparison with initial solution - log scale; total time and zoom over time



Part. & Energy conservation

[Case: I.1.5.j, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Comparison with initial solution - linear scale; total time and zoom over time



Part. & Energy conservation

[Case: I.1.5.j, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Comparison with previous time-sampled (τ_{out}) solution - log and linear scales



Particle conservation

[Case: I.1.5.j, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Comparison with asymptotic solution (electrons and ions); total time and zoom over time



Profiles

[Case: I.1.5.j, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Time sampling: total simulation time/10







- 0.00
- 0.08
- 0.16
- 0.24
- 0.32
- 0.40
- 0.48
- 0.56
- 0.64
- 0.72
- 0.80
- 0.88
- 0.96
- 1.04

Profiles

[Case: I.1.5.j, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Comparison with asymptotic solution



Profiles

[Case: I.1.5.j, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (Va/D)| = 0.19 \text{ s}$







Profiles

[Case: I.1.5.j, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Spatial zoom over magnetic axis

Time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (Va/D)| = 0.19 \text{ s}$







Profiles

[Case: I.1.5.j, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Spatial zoom over edge





Time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (Va/D)| = 0.19 \text{ s}$



Profiles

[Case: I.1.5.j, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Time sampling: last 10 time slices



Profiles

[Case: I.1.5.j, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]


Spatial zoom over magnetic axis; time sampling: last 10 time slices



Profiles

[Case: I.1.5.j, Solver: 7, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Spatial zoom over edge; time sampling: last 10 time slices



Part. & Energy conservation

[Case: I.1.5.j, Solver: 10, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_p = 101$]





Comparison with initial solution - log scale; total time and zoom over time



Part. & Energy conservation

[Case: I.1.5.j, Solver: 10, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_p = 101$]


Comparison with initial solution - linear scale; total time and zoom over time



Part. & Energy conservation

[Case: I.1.5.j, Solver: 10, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_p = 101$]





Comparison with previous time-sampled (τ_{out}) solution - log and linear scales



Particle conservation

[Case: I.1.5.j, Solver: 10, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_p = 101$]





Comparison with asymptotic solution (electrons and ions); total time and zoom over time



Profiles

[Case: I.1.5.j, Solver: 10, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Time sampling: total simulation time/10



Profiles

[Case: I.1.5.j, Solver: 10, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Comparison with asymptotic solution



Profiles

[Case: I.1.5.j, Solver: 10, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (Va/D)| = 0.19 \text{ s}$







Profiles

[Case: I.1.5.j, Solver: 10, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Spatial zoom over magnetic axis

Time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (Va/D)| = 0.19 \text{ s}$







Profiles

[Case: I.1.5.j, Solver: 10, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Spatial zoom over edge





Time sampling: first 10 time slices or zoom over time $0.1 \times (a^2/D)/|1 - (Va/D)| = 0.19 \text{ s}$



Profiles

[Case: I.1.5.j, Solver: 10, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]





Time sampling: last 10 time slices



Profiles

[Case: I.1.5.j, Solver: 10, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Spatial zoom over magnetic axis; time sampling: last 10 time slices



Profiles

[Case: I.1.5.j, Solver: 10, $D = 0.1 \text{ m}^2/\text{s}$, $v = -1.00 \text{ m/s}$, $\Delta t = 4.00$, $\tau = 1.0 \times 10^{-3} \text{ s}$, $N_\rho = 101$]

Spatial zoom over edge; time sampling: last 10 time slices

