

## EFDA

EUROPEAN FUSION DEVELOPMENT AGREEMENT

Task Force INTEGRATED TOKAMAK MODELLING

## Integrated Tokamak Modelling TF

Presented by: Pär Strand

TF Leader : P. Strand, Deputies: L-G. Eriksson, R. Coelho

EFDA CSU Contact Person: D. Kalupin

With commentary on EUFORIA





### EFDA ITM-TF

#### **ITM-TF** charge

- Co-ordinate the development of a coherent set of validated simulation tools for ITER exploitation
- Benchmark these tools on existing tokamak experiments
- Provide a comprehensive simulation package for ITER and DEMO plasmas.
- Coordinate the European Software developments with the aim to increase quality and reduce parallel efforts. (Streamline the code base)

#### **ITM-TF** Remit

- Development of the necessary standardized software tools for
  - interfacing code modules and
  - accessing experimental data.

#### **Medium term activities**

- Support the development of ITER-relevant scenarios in current experiments.
- Fully embedded in the EFDA Mission structure providing a predictive capabability for burning plasmas (Mission 5).

EFDA SC (03)-21/4.9.2 (June 24th, 2003)



## **ITM-TF** overview

A completely new paradigm

for modelling in Europe!!!

#### What is the ITM-TF?

- A collection of
  - Joint hardware & software tools,
  - Coupling technologies,
  - Physics modules & codes,
  - Methodologies and procedures
  - Integreation research
- Resources → People and their knowledge →Collaborative infrastructure

#### Purpose

- To facilitate a European wide standard for collaborative efforts on ITER & DEMO modelling and code development, with impact on current devices
- To provide Core services for future modelling exploitation for ITER and DEMO

#### Long term vision

- Have a leading role in European modelling efforts in the ITER & DEMO era
- Provide a focal point for model based physics exploration towards a truly predictive capability (Input to facilities review from EFDA - Mission 5)
- Pilot fusion modelling as an European Research Area (ERA) in its own right



## **ITM-TF Framework**

#### A pan-European simulation environment:

- A new scalable, open ended, flexible and extensible simulation framework
  - (ISIP: Workflow, Code Platform, Schemas, UAL and code interfaces)
- <u>Device independent</u> State of the art physics modules
  - Broad application basis Broad user base
- Multi device databases (ISIP EDRG)
  - "Closer" to experiments improved V&V
  - Assisting Experimental campaigns with new modelling capabilities
  - Allowing for synthetic diagnostics in ITM framework
  - New level of data access (ITPA like processed data not sufficient)
- Proper V&V basis to secure quality and applicability close collaboration with experiments to mutual benefits – focus area

#### EFDA based - Community owned

- A jointly owned and operated infrastructure
- A jointly developed physics capability
  - Organic growth towards improved state of the art tools
  - "Darwinian" selection and development of models
- An integral part of the "new" EFDA

Machine Descriptions Data mappings Expertise



Expected life time of the code(s)

Fusion has (rightly) been accused of being a closed community with little interaction with other communities – the world has changed on us!



are ~20-30 years

New languages have to be supported: C, C++, Java, Python is already being used in fusion applications

- Need to be supported in parallel to Fortran dialects
- Mixed language settings

#### Libraries and other tools

Task Force

INTEGRATED TOKAMAK MODELLING

• Proprietary tools increasingly expensive. Offset by a strong move towards Open Source tools. New hardware architecture posing portability and scalability concerns. Longevity

#### New advanced computing paradigms

• Efficient use of Grid and HPC resources need to be secured and made available




• Should be promoted for efficient use of slim manpower resources in fusion.




### Framework tools

#### Earth Science Climate Modelling Framework




#### Geon (Geoscience, Kepler):




www.CaciusCode.org

#### Salome(Open Cascade) General Purpose



#### **OPENFoam CFD TOolbox**



ITM-TF – requirements capture + 2 years pilot activities  $\rightarrow$  Kepler with our own extensions


PYRE



## **Coupling codes and applications**

# N modules integrated in N different applications


N modules coupled into a dynamic application framework




Work balance is different – indications (weather, climate, combustion, relativity, ASCI,..) is that payoff in efficiency, usability, manpower cost and increased collaborations is large once framework is operational RUSA, 6 May 2009, P. Strand Bastardised from David De Roure



### **ITM-TF Application Structure**




### **Coupling technology: Kepler Workflow**



Rapid deployment and testing: Standardized interfaces E.g., swap Helena with CHEASE – single click effort

'ask Force

RUSA, 6 May 2009, P. Strand





## Physics modules

#### Framework (Kepler)

Calls the wrapper, specifying the present time of the simulation, orchestrates run.

#### Wrapper (FC2K, WS2K)

Calls UAL to GET the CPOin and CPOout at the requested time slices

#### **Physics code**

Receives CPOin, CPOout,

Physics calculations


Updates CPOout

Updates data management nodes

Calls UAL to PUT the CPOout

#### Plasma state

Contains the state of all CPOs at all time slices



ITM tools: standardized data structures, data access, interface definitions, Gateway, Workflow (Kepler)

### **Present resources**

### ITM Gateway located at the Cresco centre in Portici near Naples



**Task Force** 



- The main purpose of the Gateway is:
  - Provide a development environment for ITM codes
  - Access to and storage of experimental data (especially for validation purposes).
  - Provide access high performance computing resources


#### EFDA Task Force EUROPEAN FUSION DEVELOPMENT AGREEMENT INTEGRATED TOKAMAK MODELLING

## ITM project structure


Project	Name	Leadership 2009		
ISIP	Infrastructure and Software Integration Project	<u>F. Imbeaux (CEA)</u> G. Manduchi (RFX) S. Balme (CEA)		
IMP#1	Equilibrium Reconstruction and Linear MHD Stability	<u>G. Huysmans (CEA)</u> C. Konz (IPP)		
IMP#2	Non-linear MHD and Disruptions	<u>M. Ottaviani (CEA)</u> S. Sharapov (UKAEA)		
IMP#3	Transport Code and Discharge evolution	D. Coster (IPP) V. Basiuk (CEA) G. Pereverzev		
IMP#4	Transport Processes and Micro Stability	<u>B. Scott (IPP)</u> G. Falchetto (CEA)		
IMP#5	Heating and Fast particles	<u>T. Hellsten (VR)</u> G. Vlad (ENEA) Y Peysson (CEA)		
Tasks Under TF leadership	ITER Scenario Modelling (ISM) Atomic, Molecular, Nuclear and Surface Physics (AMNS) Experimentalists and Diagnosticians Resource Group (EDRG) Integration Team (ITT)			



## Swedish Participation ~ 3ppy



### **ITM-TF** Milestones



ask Force

	ISIP	IMP#1	IMP#2	IMP#3	IMP#4	IMP#5	TFL Tasks
2008	CPD UAL ISE KEPLER PORTAL	EFIT_ITM HELENA ILSA FLUSH CHEASE CAXE KINX EFIT_ITM (predictive)	SAWTOOTH NTM RWM (2D Wall) (ELM) Modules	EUROPEAN TRANSPORT SOLVER (Prototype) Fixed boundary Modules imported from IMP's or from existing codes	Neoclassical Linear/ quasi-linear Turbulence code(s) ← Transport modules	C3PO/LUKE HMGC (circ) EVE FPSIM NBI deposition module(s). Orbit module(s)	
	INTEGRATION TEAM ACTIVITIES (2008/09) Data structures & Code Interfaces						
2009	CPD++ EUFORIA Integration	EQUINOX CLISTE CREATE-NL FBEC	RWM (3D Wall) ERR FIELDS VDE <del>3D NL MHD</del> code(s)	ETS (full version) free boundary (Edge-core integration) EUFORIA Integration	EUFORIA Integration	HMGC(non.circul ar) Orbit following Monte Carlo code (FPGEN)	Synthetic: -3D reflect AMNS toolbox
Bench mark codes				SOLPS ASTRA			(JETTO) <b>ASTRA</b> (CRONOS) DINA

#### BOLD: Actual name of code or activity, RED: Priority Support activity

NON-BOLD: Generic name – indicating multiple codes, merged or new non-named developments

## Progress



• Gateway (Installed)

sk Force

ED TOKAMAK MODELLING

- Workflow orchestration tools (v1.0 available now)
- Ontology (data structures) (mature subset in place finalization 2009)
- Local Data access (Universal Access Layer)
- Databases (simulation and experimental) (to be filled –collaborative effort with experiments)

#### First range of Applications becoming available


- IMP physics tools & modules ported (continuous development but a first batch of tools are becoming available –IMP1 leading the wat)
- V&V procedures (in place, to be tested in real life)
- Transparent access to full range of computing platforms: local cluster, grid applications, HPC access (→EUFORIA)



#### **Building a broadened user community**

- Increased level of collaboration required (experiments & end users)
- Need broader CS involvement for some of our tasks
- Collaborative IT infrastructure needs to become an everyday tool
- Need to develop more efficient communication within the ITM-TF and with other pan European activities as work matures and become more integrated.

RUSA, 6 May 2009, P. Strand



RUSA, 6 I

**Coordinating structures within EFDA** 

ITER $\rightarrow$ New, more project oriented structure

- European Task Forces (top-down)
  - Integrated Tokamak Modelling (P. Strand), Plasma Wall Interaction (E. Tsitrone)

### - Goal Oriented Training Programmes (horizontal)

• <u>GOTiT (D. Coster), ...</u>

Task Force

EGRATED TOKAMAK MODELLING

- European Topical Groups (bottom-up)
  - H&CD (A.Becoulet), Transport(C. Hidalgo), MHD(P. Martin), Materials(S. Dudarev) and Diagnostics (T. Donne)
- No real activities to support computational science, applied math or infrastructure development (grid, HPC) → EUFORIA
  - New development: High Performance Computing for Fusion in Europe (HPC-FF)
    - Bridging the gap on HPC-FF access coming online after summer
    - Implementing agreement explicitly states taking into account EUFORIA developments



### Moving to a distributed computing environment

## • Current Thinking:

- ITER will <u>not</u> have a large centralized analysis and simulation computing facility
- Will need to use distributed resources
  - Similar to that which CERN is using
  - But with HPC(s) added
  - Centralized databases
- Will still want to ensure confidence in results, traceability, etc.

## **EUFORIA - EU Fusion for ITER Applications**

14 member Institutes
522pms covering
3.65M€ over three years

- Management
- Training
- Dissemination
- Grid and HPC infrastructure & support
- Code adaptation & optimization
   Workflows
   Visualization
- Started January 2008

Funded under FP7 "Capacities" Programme

Annual review just done - 945k€, 145 ppm, 48 ppl





## **Consortium Members**

e-infrastructure

COPY DOM

Country	Institute	Capabilities
SWEDEN:	<b>CHALMERS</b> University of Technology (coordinating)	Fusion, Grid, (CS)
FINLAND:	CSC - Tieteellinen laskenta Oy	HPC, (Grid),
	Åbo Akademi University	Code Optimization & parallelisation, CS
FRANCE:	<b>CEA</b> - Commissariat à l'énergie atomique <b>–</b> Cadarache	Workflow, Fusion, CS
	Université Louis Pasteur - ULP	Visualization, Applied Math
GERMANY:	Forschungszentrum Karlsruhe GmbH - FZK	Grid, Code parallelisation
	Max-Planck-Institut für Plasmaphysik - IPP	Fusion, (HPC, Grid)
ITALY:	ENEA	Fusion, Grid, HPC, GATEWAY
SLOVENIA:	University of Ljubljana - LECAD	Visualization, CS
POLAND:	Poznan Supercomputing and Networking Centre - <b>PSNC</b>	Grid, Migrating Desktop, CS
SPAIN:	Barcelona Supercomputing Center – Centro Nacional de Supercomputación - <b>BSC</b>	HPC, Code optimization & parallelisation
	<i>Centro de Investigaciones Energéticas Medio Ambientales y Tecnológicas - CIEMAT</i>	Grid, Code parallelization, Fusion, Grid, NA
	Consejo Superior de Investigaciones Cientificas - CSIC	Grid, CS, (NA activities)
UNITED KINGDOM:	The University of Edinburgh - <b>EPCC</b>	HPC, Code Optimization & parallelisation, NA, User support, (GRID)



## Supporting fusion users

- Providing infrastructure
  - Grid (parallel and serial) and HPC infrastructures and support
    - EUFORIA Grid infrastructure (2700Cpus, 40Tb)
    - HPC infrastructure available for application development and proof of principle runs.
    - Production run access: DEISA -2MCpuHrs(2008, 09), EPCC 1MCpuHrs n(2009), HPC-FF as a target platform!?
- Provide Application porting for select codes to both Grid and HPC
  - EFDA decision: Focus on Edge and Core Turbulence and Transport
- Provide Training
  - Use of and adaptation for grid and HPC technologies
  - Direct Code adaptation for select codes and tools
  - Help to "self-help"
- Provide extended toolkits for existing infrastructure
  - Visualization
    - Workflow extensions (with ITM-TF)
      - Middleware developments



## **Resources of the Euforia Grid**

#### Grid Infrastructure supporting the Euforia VO

- Centers with infrastructure in Euforia (all in NGI/EGI next steps? New role for VR SNIC?)
  - □ IFCA in Santander, Spain
  - □ FZK in Karlsruhe, Germany
  - □ Chalmers University, Sweden
  - Ciemat in Trujillo, Spain

#### From the Grid Information System (order 2700 CPUs, 40 TB online)

#CPU|Free|Total|Jobs|Run|Waiting|ComputingElement

14	188	702	0	0	0	o i2gce01.ifca.es:2119/jobmanager-lcgpbs-euforia
45	52	324	0	0	0	o iwrce2.fzk.de:2119/jobmanager-lcgpbs-i2gpar
64	10	113	0	0	0	0 svea-gl2.c3se.chalmers.se:2119/jobmanager-lcgpbs-euforia
56	5	<b>56</b>	0	0	0	0 ce-euforia.ceta-ciemat.es:2119/jobmanager-lcgpbs-euforia

Avail Space(Kb) Used Space(Kb) Type SEs

38 TB	6TB	n.a	storm.ifca.es
1.8 TB	129931	n.a	iwrse2.fzk.de
142 GB		n.a.	svea-gl3.c3se.chalmers.se
FURIA	EUFORIA FF	7-INFRAS	TRUCTURES-2007-1, Grant 211804



#### **Activity SA2 Objectives**

O1) Provide HPC infrastructure support for the code optimization effort within JRA2.

HECTOR(EPCC, UK) –Cray XT4 (integrated with X2 vector system in a single machine). XT4: 11,328 cores. Processor: 2.8GHz Opteron; 33.2TB RAM. 59Tflops theoretical peak. X2: 112 vector processors; 2.87Tflops heoretical peak–No. 29 in Top 500 (54.65 TflopsLINPACK)







### Promoted Codes Almost All ported onto HPC infrastructure

**BIT1** (s+p) [Kinetic 1D3V (1D in usual and 3D in velocity space) code for simulation of the plasma edge. Code includes nonlinear model for Coulomb and charged-neutral particle collisions, and simplified linear model of plasma-surface interactions.] **Grid+HPC** adaptation + DEISA, EPCC allocations

**CENTORI** (p) [The CENTORI code is a fully toroidal (arbitrary aspect ratio, arbitrary beta) two-fluid, electromagnetic turbulence simulation code. It builds on the well-documented CUTIE code by allowing the computation of turbulence in realistic tokamak geometries and at high beta.] CP redevelop

COREDIV (s+p) [Transport of energy, main ions and impurity ions in the core and the scrape of layer regions]

**EIRENE** (s+p) [EIRENE is a kinetic neutral particle and line radiation transport code.] **GRID adaptation**, **EMC3-EIRENE** (DEISA)

**ELMFIRE** (p) [Gyro-kinetic full-f particle code, with mostly global emphasis.] **HPC optimization** 

**ERO** (s+p) [gyro-kinetic for impurity transport in plasma + following of molecular and atomic processes (providing 3D simulation of densities and plasma light emission) + plasmasurface interaction part including simulation of surface contents] Pending **ESEL (p)** [Turbulence and profile evolution at the outboard midplane in the SOL using a fluid (ESEL) and gyrofluid (GESEL) approach] Benefit from TYR develops

**GEM** (p) [gyrofluid (GEM is local, GEMX is nonlocal, 6 moment variable equations for each species, plus field equations for 2 potentials (electric, parallel magnetic); up to three ion species have been run; turbulence and profiles solved together, flow and magnetic current equilibrium are necessarily part of this. **GRID**, **DEISA**, **EPCC time** 

**GENE** (p) [GENE is a nonlinear gyrokinetic code to investigate plasma turbulence] **DEISA**, **EPCC time** 

**ISDEP** (p) [Kinetic theory of transport based on Langevin Equations; lon-ion and ion-electron collisions included; New stochastic terms (heating and turbulence) are envisaged] **GRID** 

**SOLPS** (s+p) [B2-Eirene consists of two codes tightly coupled together: B2 (multi-fluid solving continuity, momentum and energy equations for the plasma component on a cell cetntered grid; EIRENE (Monte-Carlo neutrals code providing sources for B2 based on a plasma background provided by B2)] Pending


**TECXY** (p) [The code simulates 2D multifluid plasma and impurity transport in the tokamak edge including drifts, currents and self-consistent electric field Solves a set of fluid equations (Braginskij equations) describing the edge plasma on a 2D grid including SOL and transition layer

**TYR** (p) [Drift Alfven plasma fluid turbulence and transport in flux-tube geometry.] **HPC**, **EPCC time** 




## Simple HPC workflow

- KEPLER actors for HPC infrastructure usage of UNICORE 6.1.3
- Presented usage of BIT1, but actors enable to run ported applications (that for example could be run using JSDL)
- Simple composite actors hides the complexity for the user




## Example of composite actor - details






## The EUFORIA Services in the broader view







## Visualization



- DJRA4.1 (M12) Defining tools:
  - Choice of existing tools and demonstrate with fusion dataset (numpy, matplotlib, Visit,...)
- DJRA4.2 (M18): Integrate ITM data access (UAL) into Python/VisIt and integrate Python/VisIt into
  - ITM workflow manager (Kepler)
- DJRA4.3 (M24):
- Provide compression scheme ar visualization for 4D dataset





## Prototyping the ITER Modelling infrastructure

ITER Partners (resources through Grid and HPC) Need coordination and collaboration with ITER partners

ITER IO (Gateway equivalent, in house infrastructure) Advanced Modelling tools Need "buy-in" of EUFORIA and ITM-TF technologies HPC/IM (DA proprietary) "In house" modelling Plant operation Zone Standard tool set (DA shared) CODAC (internal ITER; nuclear licensing) Member tools **Operations Request Brokers** Raw Data Data Access Storage of

Monitoring

~10Gb/s (shot)

e-infrastructure

RUSA, 6 May 2009, P. Strand



Simulation results

EUFORIA FP7-INFRASTRUCTURES-2007-1, Grant 211804

Experimental data

~20Pb/yr

## What has EUFORIA demonstrated?

- Ability to launch a GRID job from Kepler and then retrieve the results
- Ability to launch a HPC job from Kepler and then retrieve the results
- Ability of a GRID job to write results to the Gateway using the UAL
- Deployment of applications on the EUFORIA GRID
  - EMC3-EIRENE partially shifting to Grid (TEXTOR DED)
- Succesful support/optimization on HPC
  - BIT1 (sequential to 512-1024 cores, DEISA time)
  - TYR (128 to 4096 cores)
  - Building a framework for supporting users (support@euforia-project.eu)
- <u>Coordinating</u> and <u>facilitating</u> contacts with other activities
  - EFDA (ITM-TF, HPC-FF), DEISA, EGEE, PRACE,...
  - ITER (semi-informal)

RUSA, 6 May 2009, P. Strand







### Collaborations

#### **Topical Groups & Task Forces**

- Collaboration and increasing exchanges foreseen during WP09
- Continued discussion on collaborative formats/opportunities

#### **Related projects**

- GOTiT
- EUFORIA
  - HPC-FF, PRACE, DEISA, EGEE, EGI...


#### **International IM Initiatives**

- Formal Bilateral Agreements with US (JP)
  - Kepler, SWIM, CPES and FACETS SciDAC projects
  - BPSI

#### ITER

- ITPA IMAGE activity to continue under ITER: IMEG
- Format finalizedstarting active work now!

#### EFDA Task Force EUROPEAN FUSION DEVELOPMENT AGREEMENT INTEGRATED TOKAMAK MODELLING



Coordination

Joint in all "levels" -- validation and exploitation





RUSA, 6 May 2009, P. Strand



This page is intentionally empty

RUSA, 6 May 2009, P. Strand



### Work Programme 2009

#### Responses just in: 60 ppy allocated

#### **Continuation of 2008 Work Programme**

- Maintenance of installed software
- Continued development of new physics modules
- Continued activities on Code Platform


#### Focus areas – Priority Support Areas

- Infrastructure and Software Integration Project
- Integration Team
- Coordination activities towards AMNS, EDRG
- European Transport Solver (ETS)
- Free boundary equilibrium code
- VDE's
- 3d reflectometry modelling

#### Next step of Integration

• Providing tools and modules for use at Experiments and in Associates

## UAL (Universal Access Layer):



RUSA, 6 May 2009, P. Strand



## Access Portal - Migrating Desktop

- An advanced graphical user interface that hides the complexity of the grid middleware
  - a flexible personalized working environment
  - independent of the user location,
  - scalable and portable
  - a single sign-on mechanism,
  - support for multiple grid infrastructure
- Used in other project (DORII aimed at exploring the Scientific Workflows)



MD is being adapted for EUFORIA use and will be extended to our HPC environment and visualization tools. Unicore and Vine Toolkit

RUSA, 6 May 2009, P. Strand



•



## 2009 Training

- Main event will be a code camp
  - Bringing together code owners with experts
  - Getting codes ported to Grid of HPC (depending on demand)
  - Lectures and hands on sessions
  - Working closely with EUFORIA JRA1 and JRA2 work packages (code porting and optimisation for Grid and HPC)
  - Needs the involvement and enthusiasm of code owners to be worth doing

RUSA, 6 May 2009, P. Strand



## Workshops

- FFT workshop (remote) already held this year
- Planned series on
  - Tools and techniques for HPC programmers
    - Build tools (Makefiles, autobuild)
    - Revision tools (i.e. cvs, svn)
    - Design and debugging
  - PGAS Languages
    - Introduction to the new parallel programming languages
    - Lectures on specific languages
  - Grid workshops still to be planned

